

## LISTING OF THE CLAIMS

This listing of claims is a courtesy copy. No changes have been made.

1-7 (Canceled)

8. (Previously presented) A casing for receiving an electrical device, the casing comprising:

a plurality of sides that form a substantially cubic structure; and

a first indicating apparatus for indicating a first set of different electrical states of the device, wherein the first indicating apparatus includes a first plurality of isochromatic indicating devices that are located on facing corners of one of the space diagonals of the casing.

9. (Previously presented) The casing of claim 8, wherein the electrical device comprises one of a switching device or a sensor.

10. (Previously presented) The casing of claim 8, wherein the electrical states comprise switching states.

11. (Previously presented) The casing of claim 8, further comprising a second indicating apparatus for indicating a second set of different electrical states of the device, wherein the second indicating apparatus includes a second plurality of isochromatic indicating

devices that are located on facing corners of one of the plurality of space diagonals of the casing.

12. (Previously presented) The casing of claim 11, wherein each of the first and second pluralities of isochromatic indicating devices are located on a unique space diagonal.

13. (Previously presented) The casing of claim 11, wherein the first plurality of isochromatic indicating devices comprise a first colour and the second plurality of isochromatic indicating devices comprise a second colour different from the first colour.

14. (Previously presented) The casing of claim 11, wherein the first set of different electrical states comprise a set of power states for the electrical device and the second set of different electrical states comprise a set of switching states for the electrical device.

15. (Previously presented) The casing of claim 11, further comprising a third indicating apparatus for indicating a third set of different electrical states of the device, wherein the third indicating apparatus includes a third plurality of isochromatic indicating devices that are located on facing corners of one of the plurality of space diagonals of the casing.

16. (Previously presented) The casing of claim 15, wherein each of the first, second, and third pluralities of isochromatic indicating devices are located on a unique space diagonal.

17. (Previously presented) The casing of claim 15, further comprising a fourth indicating apparatus for indicating a fourth set of different electrical states of the device, wherein the fourth indicating apparatus includes a fourth plurality of isochromatic indicating devices that are located on facing corners of one of the plurality of space diagonals of the casing.

18. (Previously presented) The casing of claim 17, wherein each of the first, second, third and fourth pluralities of isochromatic indicating devices are located on a unique space diagonal.

19. (Previously presented) The casing of claim 8, wherein the first plurality of isochromatic indicating devices are identical.

20. (Previously presented) The casing of claim 8, wherein the first plurality of isochromatic indicating devices comprise one of a plurality of light emitting diodes or a plurality of incandescent lamps.

21. (Previously presented) The casing of claim 8, further comprising, at each of the facing corners of the one of the plurality of space diagonals, a translucent viewing window.

22. (Previously Presented) A casing for receiving an electrical device, the casing comprising:

a first indicating apparatus for indicating a first set of different electrical states of the electrical device, wherein the electrical device is one of: a switching device or a sensor, and wherein the first indicating apparatus includes a first plurality of indicating devices that are located on the casing such that at least one of the first plurality of indicating devices is visible from each viewing direction for the casing.

23. (Previously presented) The casing of claim 22, wherein the casing comprises a plurality of sides that form a substantially cubic structure, and wherein the first plurality of indicating devices are located on facing corners of one of the space diagonals of the casing.

24. (Previously presented) The casing of claim 22, wherein the first plurality of indicating devices comprise a plurality of isochromatic indicating devices.

25. (Previously Presented) The casing of claim 22, further comprising a second indicating apparatus for indicating a second set of different electrical states of the electrical device, wherein the second indicating apparatus includes a second plurality of

indicating devices that are located on the casing such that at least one of the second plurality of indicating devices is visible from each viewing direction for the casing.

26. (Previously presented) A casing for receiving an electrical device, the casing comprising:

a first indicating apparatus for indicating a set of power states for the electrical device, wherein the electrical device is one of: a switching device or a sensor, and wherein the first indicating apparatus includes a first plurality of indicating devices that are located on the casing such that at least one of the first plurality of indicating devices is visible from each viewing direction for the casing; and

a second indicating apparatus for indicating a set of switching states for the electrical device, wherein the second indicating apparatus includes a second plurality of indicating devices that are located on the casing such that at least one of the second plurality of indicating devices is visible from each viewing direction for the casing.

27. (Previously presented) The casing of claim 26, wherein the first plurality of indicating devices comprise a first colour and the second plurality of indicating devices comprise a second colour different from the first colour.